

High School Codebook

2011 YOUTH RISK BEHAVIOR SURVEY

This page intentionally left blank.

2011 YOUTH RISK BEHAVIOR SURVEY

High School Codebook

The codebook explains the SAS, SPSS, MS Access, and ASCII data files on the CD-ROM included in this report binder. The columns in the codebook include the following information:

Data Location: This column contains the beginning and ending column position for each variable. Data location is only used to read the ASCII format data file. For the SAS, SPSS, and MS Access files, data are referenced directly by variable name, not by data location.

Variable Name: This column contains the variable names listed in the order that they appear in the data files. A brief description of variable names and variable types in the file follows.

- Q1 through Q86 correspond to questions on the 2011 Standard YRBS High School questionnaire. Question numbers will not match the question numbers from questionnaires modified from the standard questionnaire. The *Map Form* in the “Questionnaire” tab of this report binder contains information on questions and their corresponding question numbers for modified questionnaires.
- Q87 through Q# correspond to site-added questions.
- QN# are dichotomous variables which denote “responses of interest” for each question (except for demographic questions).
- QNword variables, or supplemental dichotomous variables, are derived from one or more standard YRBS questions.
- Weight, PSU, and Stratum have been added to all weighted data files during the weighting process. They are used when running analyses. Refer to *Software for Analysis of YRBS Data* in the “Resources” tab of this report binder for more information on using these variables.
- BMIPct contains the percentile for the students BMI.
- RaceEth contains the eight category race/ethnicity indicator calculated from Q4 and Q5.

Refer to the *Data User's Guide* in the “Data User's Guide” tab of this binder for more details on variable types, supplemental variables, and how they are calculated.

Question Code and Label: This column contains each question, its response options, and response option codes for each standard question (Q1 through Q86) and for each site-added question (Q87 through Q#). For QN# and QNword variables, this column contains text that summarizes the “responses of interest”, and the codes “1” and “2” for “Yes” and “No” respectively to indicate whether or not the response was one of the “responses of interest”.

Unweighted Frequency: This column contains the number of students that chose a specific response option or response of interest.

Weighted or Unweighted Percentage: This column contains the percentage of students who chose a specific response option or response of interest. For sites with weighted data, these percentages are weighted and represent students across the site. For sites with unweighted data, these percentages are unweighted and represent only the students who participated in the survey.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|-----------------------------|----------------------|---------------------|
| 17-17 | Q1 | How old are you? | | |
| | | 1 12 years old or younger | 16 | 0.4 |
| | | 2 13 years old | 28 | 0.4 |
| | | 3 14 years old | 680 | 13.9 |
| | | 4 15 years old | 1,089 | 24.8 |
| | | 5 16 years old | 956 | 24.3 |
| | | 6 17 years old | 845 | 25.1 |
| | | 7 18 years old or older | 337 | 11.2 |
| | | Missing | 10 | |
| 18-18 | Q2 | What is your sex? | | |
| | | 1 Female | 2,011 | 49.7 |
| | | 2 Male | 1,928 | 50.3 |
| | | Missing | 22 | |
| 19-19 | Q3 | In what grade are you? | | |
| | | 1 9th grade | 1,274 | 27.7 |
| | | 2 10th grade | 1,093 | 25.3 |
| | | 3 11th grade | 837 | 23.3 |
| | | 4 12th grade | 714 | 23.5 |
| | | 5 Ungraded or other grade | 10 | 0.2 |
| | | Missing | 33 | |
| 20-20 | Q4 | Are you Hispanic or Latino? | | |
| | | 1 Yes | 990 | 19.1 |
| | | 2 No | 2,929 | 80.9 |
| | | Missing | 42 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 21-28 | Q5 | What is your race? | | |
| | | H | 10 | 0.3 |
| | | G | 3 | 0.1 |
| | | F | 22 | 0.4 |
| | | E | 2,416 | 77.1 |
| | | E H | 1 | 0.0 |
| | | D | 174 | 3.5 |
| | | D H | 1 | 0.0 |
| | | DE | 7 | 0.1 |
| | | C | 384 | 10.9 |
| | | C E | 52 | 0.8 |
| | | CD | 1 | 0.0 |
| | | CDE | 1 | 0.0 |
| | | B | 185 | 2.7 |
| | | B E | 35 | 0.5 |
| | | B EF | 1 | 0.0 |
| | | BC | 9 | 0.1 |
| | | BC E | 2 | 0.0 |
| | | BCD | 1 | 0.0 |
| | | A | 95 | 1.6 |
| | | A E | 38 | 0.6 |
| | | A D | 2 | 0.0 |
| | | A C | 27 | 0.5 |
| | | A C E | 32 | 0.5 |
| | | A CD | 4 | 0.1 |
| | | A CDE | 2 | 0.0 |
| | | ABC | 2 | 0.0 |
| | | ABC E | 3 | 0.1 |
| | | ABCDE | 8 | 0.1 |
| | | | 443 | |
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 39-39 | Q8 | When you rode a bicycle during the past 12 months, how often did you wear a helmet? | | |
| | | 1 I did not ride a bicycle during the past 12 months | 1,360 | 34.4 |
| | | 2 Never wore a helmet | 1,756 | 44.2 |
| | | 3 Rarely wore a helmet | 259 | 6.7 |
| | | 4 Sometimes wore a helmet | 169 | 4.3 |
| | | 5 Most of the time wore a helmet | 179 | 4.7 |
| | | 6 Always wore a helmet | 219 | 5.8 |
| | | Missing | 19 | |
| 40-40 | Q9 | How often do you wear a seat belt when riding in a car driven by someone else? | | |
| | | 1 Never | 166 | 4.0 |
| | | 2 Rarely | 243 | 6.1 |
| | | 3 Sometimes | 493 | 12.0 |
| | | 4 Most of the time | 940 | 23.4 |
| | | 5 Always | 2,099 | 54.5 |
| | | Missing | 20 | |
| 41-41 | Q10 | During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol? | | |
| | | 1 0 times | 3,080 | 78.1 |
| | | 2 1 time | 334 | 8.9 |
| | | 3 2 or 3 times | 332 | 8.1 |
| | | 4 4 or 5 times | 69 | 1.7 |
| | | 5 6 or more times | 137 | 3.3 |
| | | Missing | 9 | |
| 42-42 | Q11 | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? | | |
| | | 1 0 times | 3,626 | 93.5 |
| | | 2 1 time | 101 | 2.8 |
| | | 3 2 or 3 times | 70 | 1.9 |
| | | 4 4 or 5 times | 23 | 0.6 |
| | | 5 6 or more times | 52 | 1.2 |
| | | Missing | 89 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 43-43 | Q12 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | |
| | | 1 0 days | 3,440 | 88.8 |
| | | 2 1 day | 112 | 2.8 |
| | | 3 2 or 3 days | 88 | 2.5 |
| | | 4 4 or 5 days | 48 | 1.2 |
| | | 5 6 or more days | 184 | 4.7 |
| | | Missing | 89 | |
| 45-45 | Q14 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property? | | |
| | | 1 0 days | 3,737 | 96.0 |
| | | 2 1 day | 52 | 1.2 |
| | | 3 2 or 3 days | 39 | 1.0 |
| | | 4 4 or 5 days | 14 | 0.4 |
| | | 5 6 or more days | 62 | 1.4 |
| | | Missing | 57 | |
| 46-46 | Q15 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | |
| | | 1 0 days | 3,702 | 94.1 |
| | | 2 1 day | 98 | 2.5 |
| | | 3 2 or 3 days | 63 | 1.5 |
| | | 4 4 or 5 days | 37 | 0.9 |
| | | 5 6 or more days | 50 | 1.0 |
| | | Missing | 11 | |
| 48-48 | Q17 | During the past 12 months, how many times were you in a physical fight? | | |
| | | 1 0 times | 2,942 | 76.5 |
| | | 2 1 time | 431 | 11.5 |
| | | 3 2 or 3 times | 279 | 6.9 |
| | | 4 4 or 5 times | 84 | 1.9 |
| | | 5 6 or 7 times | 25 | 0.6 |
| | | 6 8 or 9 times | 14 | 0.4 |
| | | 7 10 or 11 times | 5 | 0.1 |
| | | 8 12 or more times | 88 | 2.0 |
| | | Missing | 93 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 50-50 | Q19 | During the past 12 months, how many times were you in a physical fight on school property? | | |
| | | 1 0 times | 3,570 | 92.2 |
| | | 2 1 time | 205 | 5.3 |
| | | 3 2 or 3 times | 55 | 1.3 |
| | | 4 4 or 5 times | 16 | 0.4 |
| | | 5 6 or 7 times | 6 | 0.1 |
| | | 6 8 or 9 times | 3 | 0.1 |
| | | 7 10 or 11 times | 2 | 0.0 |
| | | 8 12 or more times | 27 | 0.5 |
| | | Missing | 77 | |
| 51-51 | Q20 | During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose? | | |
| | | 1 Yes | 335 | 8.2 |
| | | 2 No | 3,553 | 91.8 |
| | | Missing | 73 | |
| 52-52 | Q21 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | |
| | | 1 Yes | 278 | 6.9 |
| | | 2 No | 3,642 | 93.1 |
| | | Missing | 41 | |
| 53-53 | Q22 | During the past 12 months, have you ever been bullied on school property? | | |
| | | 1 Yes | 727 | 19.1 |
| | | 2 No | 3,192 | 80.9 |
| | | Missing | 42 | |
| 54-54 | Q23 | During the past 12 months, have you ever been electronically bullied? | | |
| | | 1 Yes | 592 | 15.3 |
| | | 2 No | 3,321 | 84.7 |
| | | Missing | 48 | |
| 55-55 | Q24 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 998 | 24.6 |
| | | 2 No | 2,931 | 75.4 |
| | | Missing | 32 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 56-56 | Q25 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 523 | 12.3 |
| | | 2 No | 3,411 | 87.7 |
| | | Missing | 27 | |
| 57-57 | Q26 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 Yes | 455 | 10.7 |
| | | 2 No | 3,445 | 89.3 |
| | | Missing | 61 | |
| 58-58 | Q27 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 3,167 | 91.3 |
| | | 2 1 time | 193 | 5.5 |
| | | 3 2 or 3 times | 80 | 2.0 |
| | | 4 4 or 5 times | 20 | 0.5 |
| | | 5 6 or more times | 31 | 0.6 |
| | | Missing | 470 | |
| 59-59 | Q28 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | |
| | | 1 I did not attempt suicide during the past 12 months | 3,151 | 91.6 |
| | | 2 Yes | 134 | 3.9 |
| | | 3 No | 174 | 4.5 |
| | | Missing | 502 | |
| 60-60 | Q29 | Have you ever tried cigarette smoking, even one or two puffs? | | |
| | | 1 Yes | 1,226 | 35.0 |
| | | 2 No | 2,394 | 65.0 |
| | | Missing | 341 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 61-61 | Q30 | How old were you when you smoked a whole cigarette for the first time? | | |
| | | 1 I have never smoked a whole cigarette | 2,701 | 73.3 |
| | | 2 8 years old or younger | 80 | 1.9 |
| | | 3 9 or 10 years old | 67 | 1.8 |
| | | 4 11 or 12 years old | 127 | 3.4 |
| | | 5 13 or 14 years old | 318 | 9.2 |
| | | 6 15 or 16 years old | 269 | 8.5 |
| | | 7 17 years old or older | 56 | 1.9 |
| | | Missing | 343 | |
| 62-62 | Q31 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 0 days | 3,290 | 88.6 |
| | | 2 1 or 2 days | 110 | 2.9 |
| | | 3 3 to 5 days | 60 | 1.6 |
| | | 4 6 to 9 days | 48 | 1.3 |
| | | 5 10 to 19 days | 40 | 1.2 |
| | | 6 20 to 29 days | 42 | 1.2 |
| | | 7 All 30 days | 108 | 3.2 |
| | | Missing | 263 | |
| 63-63 | Q32 | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 3,286 | 88.4 |
| | | 2 Less than 1 cigarette per day | 111 | 2.9 |
| | | 3 1 cigarette per day | 85 | 2.3 |
| | | 4 2 to 5 cigarettes per day | 144 | 4.2 |
| | | 5 6 to 10 cigarettes per day | 39 | 1.2 |
| | | 6 11 to 20 cigarettes per day | 15 | 0.5 |
| | | 7 More than 20 cigarettes per day | 21 | 0.5 |
| | | Missing | 260 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 64-64 | Q33 | During the past 30 days, how did you usually get your own cigarettes? | | |
| | | 1 I did not smoke cigarettes during the past 30 days | 3,271 | 88.4 |
| | | 2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station | 127 | 3.8 |
| | | 3 I bought them from a vending machine | 11 | 0.3 |
| | | 4 I gave someone else money to buy them for me | 69 | 2.0 |
| | | 5 I borrowed (or bummed) them from someone else | 104 | 2.9 |
| | | 6 A person 18 years old or older gave them to me | 33 | 0.9 |
| | | 7 I took them from a store or family member | 14 | 0.4 |
| | | 8 I got them some other way | 56 | 1.3 |
| | | Missing | 276 | |
| 65-65 | Q34 | During the past 30 days, on how many days did you smoke cigarettes on school property? | | |
| | | 1 0 days | 3,627 | 95.4 |
| | | 2 1 or 2 days | 72 | 1.8 |
| | | 3 3 to 5 days | 29 | 0.7 |
| | | 4 6 to 9 days | 10 | 0.3 |
| | | 5 10 to 19 days | 20 | 0.6 |
| | | 6 20 to 29 days | 17 | 0.6 |
| | | 7 All 30 days | 26 | 0.6 |
| | | Missing | 160 | |
| 66-66 | Q35 | Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days? | | |
| | | 1 Yes | 268 | 8.0 |
| | | 2 No | 3,388 | 92.0 |
| | | Missing | 305 | |
| 67-67 | Q36 | During the past 12 months, did you ever try to quit smoking cigarettes? | | |
| | | 1 I did not smoke during the past 12 months | 3,124 | 83.4 |
| | | 2 Yes | 281 | 8.1 |
| | | 3 No | 315 | 8.5 |
| | | Missing | 241 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 68-68 | Q37 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? | | |
| | | 1 0 days | 3,632 | 94.3 |
| | | 2 1 or 2 days | 77 | 2.1 |
| | | 3 3 to 5 days | 57 | 1.5 |
| | | 4 6 to 9 days | 24 | 0.6 |
| | | 5 10 to 19 days | 10 | 0.3 |
| | | 6 20 to 29 days | 8 | 0.2 |
| | | 7 All 30 days | 41 | 1.0 |
| | | Missing | 112 | |
| 69-69 | Q38 | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property? | | |
| | | 1 0 days | 3,723 | 96.8 |
| | | 2 1 or 2 days | 58 | 1.7 |
| | | 3 3 to 5 days | 20 | 0.5 |
| | | 4 6 to 9 days | 9 | 0.2 |
| | | 5 10 to 19 days | 3 | 0.1 |
| | | 6 20 to 29 days | 6 | 0.2 |
| | | 7 All 30 days | 25 | 0.6 |
| | | Missing | 117 | |
| 70-70 | Q39 | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars? | | |
| | | 1 0 days | 3,445 | 86.7 |
| | | 2 1 or 2 days | 228 | 6.3 |
| | | 3 3 to 5 days | 104 | 2.9 |
| | | 4 6 to 9 days | 50 | 1.3 |
| | | 5 10 to 19 days | 31 | 0.9 |
| | | 6 20 to 29 days | 18 | 0.5 |
| | | 7 All 30 days | 57 | 1.4 |
| | | Missing | 28 | |
| 71-71 | Q40 | During your life, on how many days have you had at least one drink of alcohol? | | |
| | | 1 0 days | 1,484 | 38.0 |
| | | 2 1 or 2 days | 686 | 17.4 |
| | | 3 3 to 9 days | 637 | 17.2 |
| | | 4 10 to 19 days | 366 | 10.0 |
| | | 5 20 to 39 days | 257 | 7.1 |
| | | 6 40 to 99 days | 185 | 5.3 |
| | | 7 100 or more days | 185 | 5.0 |
| | | Missing | 161 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 72-72 | Q41 | How old were you when you had your first drink of alcohol other than a few sips? | | |
| | | 1 I have never had a drink of alcohol other than a few sips | 1,646 | 40.8 |
| | | 2 8 years old or younger | 193 | 4.5 |
| | | 3 9 or 10 years old | 149 | 3.7 |
| | | 4 11 or 12 years old | 326 | 7.4 |
| | | 5 13 or 14 years old | 804 | 20.6 |
| | | 6 15 or 16 years old | 665 | 19.4 |
| | | 7 17 years old or older | 112 | 3.7 |
| | | Missing | 66 | |
| 73-73 | Q42 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | |
| | | 1 0 days | 2,503 | 66.0 |
| | | 2 1 or 2 days | 657 | 17.8 |
| | | 3 3 to 5 days | 313 | 9.1 |
| | | 4 6 to 9 days | 144 | 4.0 |
| | | 5 10 to 19 days | 70 | 2.0 |
| | | 6 20 to 29 days | 15 | 0.4 |
| | | 7 All 30 days | 32 | 0.7 |
| | | Missing | 227 | |
| 74-74 | Q43 | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | | |
| | | 1 0 days | 3,137 | 81.7 |
| | | 2 1 day | 286 | 7.6 |
| | | 3 2 days | 173 | 4.8 |
| | | 4 3 to 5 days | 127 | 3.5 |
| | | 5 6 to 9 days | 51 | 1.2 |
| | | 6 10 to 19 days | 21 | 0.6 |
| | | 7 20 or more days | 22 | 0.5 |
| | | Missing | 144 | |
| 77-77 | Q46 | During your life, how many times have you used marijuana? | | |
| | | 1 0 times | 2,378 | 59.9 |
| | | 2 1 or 2 times | 252 | 6.7 |
| | | 3 3 to 9 times | 279 | 7.5 |
| | | 4 10 to 19 times | 172 | 4.8 |
| | | 5 20 to 39 times | 176 | 5.2 |
| | | 6 40 to 99 times | 163 | 4.6 |
| | | 7 100 or more times | 399 | 11.4 |
| | | Missing | 142 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 78-78 | Q47 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 2,370 | 59.6 |
| | | 2 8 years old or younger | 70 | 1.7 |
| | | 3 9 or 10 years old | 52 | 1.3 |
| | | 4 11 or 12 years old | 162 | 4.1 |
| | | 5 13 or 14 years old | 605 | 16.2 |
| | | 6 15 or 16 years old | 494 | 14.8 |
| | | 7 17 years old or older | 70 | 2.3 |
| | | Missing | 138 | |
| 79-79 | Q48 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 2,913 | 73.7 |
| | | 2 1 or 2 times | 323 | 9.2 |
| | | 3 3 to 9 times | 228 | 6.1 |
| | | 4 10 to 19 times | 141 | 3.9 |
| | | 5 20 to 39 times | 108 | 2.9 |
| | | 6 40 or more times | 151 | 4.2 |
| | | Missing | 97 | |
| 81-81 | Q50 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 3,687 | 94.1 |
| | | 2 1 or 2 times | 105 | 2.7 |
| | | 3 3 to 9 times | 49 | 1.1 |
| | | 4 10 to 19 times | 27 | 0.7 |
| | | 5 20 to 39 times | 19 | 0.5 |
| | | 6 40 or more times | 42 | 1.0 |
| | | Missing | 32 | |
| 88-88 | Q57 | During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription? | | |
| | | 1 0 times | 3,415 | 85.9 |
| | | 2 1 or 2 times | 181 | 5.2 |
| | | 3 3 to 9 times | 141 | 4.0 |
| | | 4 10 to 19 times | 80 | 2.1 |
| | | 5 20 to 39 times | 39 | 1.0 |
| | | 6 40 or more times | 67 | 1.7 |
| | | Missing | 38 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 90-90 | Q59 | During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property? | | |
| | | 1 Yes | 878 | 22.4 |
| | | 2 No | 3,017 | 77.6 |
| | | Missing | 66 | |
| 91-91 | Q60 | Have you ever had sexual intercourse? | | |
| | | 1 Yes | 1,386 | 41.7 |
| | | 2 No | 2,098 | 58.3 |
| | | Missing | 477 | |
| 92-92 | Q61 | How old were you when you had sexual intercourse for the first time? | | |
| | | 1 I have never had sexual intercourse | 2,095 | 58.2 |
| | | 2 11 years old or younger | 115 | 2.8 |
| | | 3 12 years old | 79 | 2.0 |
| | | 4 13 years old | 171 | 4.7 |
| | | 5 14 years old | 316 | 9.2 |
| | | 6 15 years old | 334 | 10.0 |
| | | 7 16 years old | 250 | 8.6 |
| | | 8 17 years old or older | 121 | 4.4 |
| | | Missing | 480 | |
| 93-93 | Q62 | During your life, with how many people have you had sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 2,095 | 58.4 |
| | | 2 1 person | 596 | 18.1 |
| | | 3 2 people | 260 | 7.8 |
| | | 4 3 people | 170 | 5.1 |
| | | 5 4 people | 114 | 3.4 |
| | | 6 5 people | 62 | 1.8 |
| | | 7 6 or more people | 174 | 5.3 |
| | | Missing | 490 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 94-94 | Q63 | During the past 3 months, with how many people did you have sexual intercourse? | | |
| | | 1 I have never had sexual intercourse | 2,092 | 58.3 |
| | | 2 I have had sexual intercourse, but not during the past 3 months | 408 | 11.9 |
| | | 3 1 person | 725 | 22.6 |
| | | 4 2 people | 122 | 3.7 |
| | | 5 3 people | 42 | 1.2 |
| | | 6 4 people | 36 | 1.0 |
| | | 7 5 people | 8 | 0.2 |
| | | 8 6 or more people | 37 | 1.1 |
| | | Missing | 491 | |
| 95-95 | Q64 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | |
| | | 1 I have never had sexual intercourse | 2,096 | 58.3 |
| | | 2 Yes | 275 | 8.5 |
| | | 3 No | 1,110 | 33.2 |
| | | Missing | 480 | |
| 96-96 | Q65 | The last time you had sexual intercourse, did you or your partner use a condom? | | |
| | | 1 I have never had sexual intercourse | 2,091 | 58.6 |
| | | 2 Yes | 846 | 26.1 |
| | | 3 No | 516 | 15.3 |
| | | Missing | 508 | |
| 97-97 | Q66 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | |
| | | 1 I have never had sexual intercourse | 2,086 | 58.6 |
| | | 2 No method was used to prevent pregnancy | 183 | 5.2 |
| | | 3 Birth control pills | 280 | 9.5 |
| | | 4 Condoms | 639 | 19.4 |
| | | 5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD | 44 | 1.3 |
| | | 6 Withdrawal | 124 | 3.6 |
| | | 7 Some other method | 52 | 1.3 |
| | | 8 Not sure | 43 | 1.2 |
| | | Missing | 510 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 98-98 | Q67 | How do you describe your weight? | | |
| | | 1 Very underweight | 128 | 3.2 |
| | | 2 Slightly underweight | 421 | 11.0 |
| | | 3 About the right weight | 2,185 | 57.6 |
| | | 4 Slightly overweight | 942 | 23.8 |
| | | 5 Very overweight | 183 | 4.5 |
| | | Missing | 102 | |
| 99-99 | Q68 | Which of the following are you trying to do about your weight? | | |
| | | 1 Lose weight | 1,827 | 46.0 |
| | | 2 Gain weight | 607 | 16.0 |
| | | 3 Stay the same weight | 811 | 21.4 |
| | | 4 I am not trying to do anything about my weight | 654 | 16.6 |
| | | Missing | 62 | |
| 100-100 | Q69 | During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 474 | 12.0 |
| | | 2 No | 3,372 | 88.0 |
| | | Missing | 115 | |
| 101-101 | Q70 | During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 223 | 5.6 |
| | | 2 No | 3,621 | 94.4 |
| | | Missing | 117 | |
| 102-102 | Q71 | During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 223 | 5.5 |
| | | 2 No | 3,608 | 94.5 |
| | | Missing | 130 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 103-103 | Q72 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | |
| | | 1 I did not drink 100% fruit juice during the past 7 days | 643 | 16.4 |
| | | 2 1 to 3 times during the past 7 days | 1,421 | 36.5 |
| | | 3 4 to 6 times during the past 7 days | 709 | 18.2 |
| | | 4 1 time per day | 324 | 8.2 |
| | | 5 2 times per day | 369 | 9.4 |
| | | 6 3 times per day | 187 | 4.7 |
| | | 7 4 or more times per day | 246 | 6.6 |
| | | Missing | 62 | |
| 104-104 | Q73 | During the past 7 days, how many times did you eat fruit? | | |
| | | 1 I did not eat fruit during the past 7 days | 500 | 12.5 |
| | | 2 1 to 3 times during the past 7 days | 1,404 | 35.6 |
| | | 3 4 to 6 times during the past 7 days | 803 | 20.8 |
| | | 4 1 time per day | 412 | 11.1 |
| | | 5 2 times per day | 389 | 10.4 |
| | | 6 3 times per day | 201 | 5.3 |
| | | 7 4 or more times per day | 168 | 4.3 |
| | | Missing | 84 | |
| 105-105 | Q74 | During the past 7 days, how many times did you eat green salad? | | |
| | | 1 I did not eat green salad during the past 7 days | 1,341 | 33.9 |
| | | 2 1 to 3 times during the past 7 days | 1,551 | 39.7 |
| | | 3 4 to 6 times during the past 7 days | 515 | 13.7 |
| | | 4 1 time per day | 304 | 8.0 |
| | | 5 2 times per day | 88 | 2.2 |
| | | 6 3 times per day | 34 | 0.9 |
| | | 7 4 or more times per day | 72 | 1.8 |
| | | Missing | 56 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Rhode Island High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 106-106 | Q75 | During the past 7 days, how many times did you eat potatoes? | | |
| | 1 | I did not eat potatoes during the past 7 days | 1,161 | 28.1 |
| | 2 | 1 to 3 times during the past 7 days | 2,076 | 54.4 |
| | 3 | 4 to 6 times during the past 7 days | 413 | 11.0 |
| | 4 | 1 time per day | 137 | 3.5 |
| | 5 | 2 times per day | 50 | 1.4 |
| | 6 | 3 times per day | 24 | 0.6 |
| | 7 | 4 or more times per day | 41 | 1.1 |
| | | Missing | 59 | |
| 107-107 | Q76 | During the past 7 days, how many times did you eat carrots? | | |
| | 1 | I did not eat carrots during the past 7 days | 1,927 | 48.4 |
| | 2 | 1 to 3 times during the past 7 days | 1,410 | 37.2 |
| | 3 | 4 to 6 times during the past 7 days | 313 | 8.3 |
| | 4 | 1 time per day | 127 | 3.4 |
| | 5 | 2 times per day | 45 | 1.0 |
| | 6 | 3 times per day | 20 | 0.5 |
| | 7 | 4 or more times per day | 45 | 1.1 |
| | | Missing | 74 | |
| 108-108 | Q77 | During the past 7 days, how many times did you eat other vegetables? | | |
| | 1 | I did not eat other vegetables during the past 7 days | 683 | 16.6 |
| | 2 | 1 to 3 times during the past 7 days | 1,436 | 36.8 |
| | 3 | 4 to 6 times during the past 7 days | 903 | 23.7 |
| | 4 | 1 time per day | 450 | 11.7 |
| | 5 | 2 times per day | 262 | 7.1 |
| | 6 | 3 times per day | 74 | 1.8 |
| | 7 | 4 or more times per day | 89 | 2.3 |
| | | Missing | 64 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 109-109 | Q78 | During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? | | |
| | | 1 I did not drink soda or pop during the past 7 days | 911 | 23.4 |
| | | 2 1 to 3 times during the past 7 days | 1,458 | 37.5 |
| | | 3 4 to 6 times during the past 7 days | 736 | 18.9 |
| | | 4 1 time per day | 238 | 6.3 |
| | | 5 2 times per day | 222 | 5.8 |
| | | 6 3 times per day | 153 | 3.8 |
| | | 7 4 or more times per day | 166 | 4.2 |
| | | Missing | 77 | |
| 110-110 | Q79 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | |
| | | 1 0 days | 494 | 12.1 |
| | | 2 1 day | 332 | 8.1 |
| | | 3 2 days | 428 | 11.2 |
| | | 4 3 days | 452 | 11.5 |
| | | 5 4 days | 406 | 10.4 |
| | | 6 5 days | 476 | 11.9 |
| | | 7 6 days | 302 | 8.1 |
| | | 8 7 days | 992 | 26.7 |
| | | Missing | 79 | |
| 111-111 | Q80 | On an average school day, how many hours do you watch TV? | | |
| | | 1 I do not watch TV on an average school day | 498 | 12.6 |
| | | 2 Less than 1 hour per day | 700 | 18.9 |
| | | 3 1 hour per day | 680 | 18.0 |
| | | 4 2 hours per day | 852 | 22.5 |
| | | 5 3 hours per day | 589 | 15.2 |
| | | 6 4 hours per day | 254 | 6.3 |
| | | 7 5 or more hours per day | 278 | 6.5 |
| | | Missing | 110 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 112-112 | Q81 | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? | | |
| | | 1 I do not play video or computer games or use a computer for something that is not school work | 602 | 15.6 |
| | | 2 Less than 1 hour per day | 758 | 20.3 |
| | | 3 1 hour per day | 702 | 18.5 |
| | | 4 2 hours per day | 671 | 17.1 |
| | | 5 3 hours per day | 456 | 11.6 |
| | | 6 4 hours per day | 266 | 6.4 |
| | | 7 5 or more hours per day | 429 | 10.4 |
| | | Missing | 77 | |
| 113-113 | Q82 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | |
| | | 1 0 days | 851 | 21.7 |
| | | 2 1 day | 196 | 5.5 |
| | | 3 2 days | 576 | 16.7 |
| | | 4 3 days | 934 | 24.9 |
| | | 5 4 days | 276 | 8.0 |
| | | 6 5 days | 997 | 23.2 |
| | | Missing | 131 | |
| 114-114 | Q83 | During the past 12 months, on how many sports teams did you play? | | |
| | | 1 0 teams | 1,749 | 44.9 |
| | | 2 1 team | 981 | 25.2 |
| | | 3 2 teams | 579 | 15.3 |
| | | 4 3 or more teams | 546 | 14.6 |
| | | Missing | 106 | |
| 115-115 | Q84 | Have you ever been taught about AIDS or HIV infection in school? | | |
| | | 1 Yes | 3,167 | 83.3 |
| | | 2 No | 454 | 11.6 |
| | | 3 Not sure | 206 | 5.2 |
| | | Missing | 134 | |
| 116-116 | Q85 | Has a doctor or nurse ever told you that you have asthma? | | |
| | | 1 Yes | 976 | 25.3 |
| | | 2 No | 2,681 | 70.0 |
| | | 3 Not sure | 181 | 4.7 |
| | | Missing | 123 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 117-117 | Q86 | Do you still have asthma? | | |
| | | 1 I have never had asthma | 2,170 | 56.1 |
| | | 2 Yes | 842 | 21.7 |
| | | 3 No | 591 | 15.7 |
| | | 4 Not sure | 250 | 6.5 |
| | | Missing | 108 | |
| 118-118 | Q87 | During the past 12 months, how would you describe your grades in school? | | |
| | | 1 Mostly A's | 998 | 25.4 |
| | | 2 Mostly B's | 1,604 | 41.9 |
| | | 3 Mostly C's | 786 | 20.1 |
| | | 4 Mostly D's | 197 | 4.9 |
| | | 5 Mostly F's | 127 | 3.0 |
| | | 6 None of these grades | 13 | 0.3 |
| | | 7 Not sure | 201 | 4.2 |
| | | Missing | 35 | |
| 119-119 | Q88 | How often do you feel safe and secure in your neighborhood? | | |
| | | 1 Never | 212 | 5.3 |
| | | 2 Rarely | 162 | 3.5 |
| | | 3 Sometimes | 306 | 6.9 |
| | | 4 Most of the time | 1,246 | 30.8 |
| | | 5 Always | 2,001 | 53.4 |
| | | Missing | 34 | |
| 120-120 | Q89 | When you feel sad, empty, hopeless, angry, or anxious, how often do you get the kind of help you need? | | |
| | | 1 I do not feel sad, empty, hopeless, angry, or anxious | 1,455 | 37.8 |
| | | 2 Never | 612 | 15.2 |
| | | 3 Rarely | 517 | 12.6 |
| | | 4 Sometimes | 580 | 15.2 |
| | | 5 Most of the time | 445 | 11.4 |
| | | 6 Always | 307 | 7.8 |
| | | Missing | 45 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 121-121 | Q90 | When you feel sad, empty, hopeless, angry, or anxious, with whom would you most likely talk about it? | | |
| | | 1 I do not feel sad, empty, hopeless, angry, or anxious | 1,307 | 34.1 |
| | | 2 Parent or other adult family member | 558 | 14.5 |
| | | 3 Teacher or other adult in this school | 69 | 1.9 |
| | | 4 Other adult | 92 | 2.4 |
| | | 5 Friend | 1,309 | 33.0 |
| | | 6 Sibling | 137 | 3.3 |
| | | 7 Not sure | 449 | 10.8 |
| | | Missing | 40 | |
| 122-122 | Q91 | During the past 30 days, did anyone ever refuse to sell you cigarettes because of your age? | | |
| | | 1 I did not try to buy cigarettes during the past 30 days | 3,526 | 89.5 |
| | | 2 Yes, someone refused to sell me cigarettes because of my age | 119 | 3.3 |
| | | 3 No, no one refused to sell me cigarettes because of my age | 274 | 7.2 |
| | | Missing | 42 | |
| 123-123 | Q92 | When you smoke cigarettes, do you prefer cigarettes that are plain or mentholated? | | |
| | | 1 I do not smoke cigarettes | 3,265 | 82.7 |
| | | 2 I prefer plain cigarettes | 172 | 4.6 |
| | | 3 I prefer menthol cigarettes | 220 | 6.1 |
| | | 4 I have no preference | 260 | 6.7 |
| | | Missing | 44 | |
| 124-124 | Q93 | During the past 12 months, have you tried any flavored cigarettes other than menthol, such as raspberry, cherry, mint, or chocolate? Some examples of brands with flavoring are Camel Crema, Dark Mint, Izmir Stinger, and Twist. | | |
| | | 1 I did not smoke any cigarettes during the past 12 months | 3,155 | 79.8 |
| | | 2 Yes | 303 | 8.0 |
| | | 3 No | 349 | 9.6 |
| | | 4 Not sure | 101 | 2.6 |
| | | Missing | 53 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 125-125 | Q94 | During the past 12 months, did a doctor, dentist, or nurse ask you whether you smoke cigarettes? | | |
| | | 1 I did not see a doctor, dentist, or nurse during the past 12 months | 691 | 17.0 |
| | | 2 Yes | 1,213 | 31.8 |
| | | 3 No | 1,647 | 41.7 |
| | | 4 Not sure | 368 | 9.4 |
| | | Missing | 42 | |
| 126-126 | Q95 | Out of 100 Rhode Island high school students, how many do you think smoke cigarettes? | | |
| | | 1 1 to 10 | 375 | 9.4 |
| | | 2 11 to 20 | 626 | 15.6 |
| | | 3 21 to 30 | 689 | 18.0 |
| | | 4 31 to 40 | 547 | 14.0 |
| | | 5 41 to 50 | 454 | 12.0 |
| | | 6 51 or more | 750 | 19.3 |
| | | 7 Not sure | 487 | 11.7 |
| | | Missing | 33 | |
| 127-127 | Q96 | Do you think of cigarette smoke more as a health hazard or an annoyance or discomfort? | | |
| | | 1 A health hazard | 1,118 | 29.7 |
| | | 2 An annoyance or discomfort | 215 | 5.4 |
| | | 3 Both a health hazard and an annoyance or discomfort | 2,014 | 51.5 |
| | | 4 Neither a health hazard nor an annoyance or discomfort | 124 | 3.0 |
| | | 5 Not sure | 430 | 10.3 |
| | | Missing | 60 | |
| 128-128 | Q97 | Do you believe that chewing tobacco, snuff, or dip is safer than cigarettes? | | |
| | | 1 Yes | 444 | 11.7 |
| | | 2 No | 2,153 | 56.7 |
| | | 3 Not sure | 1,285 | 31.6 |
| | | Missing | 79 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 129-129 | Q98 | During the past 30 days, how did you usually get your alcoholic beverages? | | |
| | | 1 I did not drink alcohol during the past 30 days | 2,547 | 64.5 |
| | | 2 I bought it at a store, restaurant, or bar with no ID | 71 | 1.9 |
| | | 3 I bought it at a store, restaurant, or bar with fake ID | 53 | 1.2 |
| | | 4 I stole it from a store, my home, or another place | 105 | 2.8 |
| | | 5 My parents gave it to me | 114 | 2.7 |
| | | 6 I got it from friends | 430 | 11.6 |
| | | 7 An adult over 21 (other than my parents) bought it for me | 231 | 6.4 |
| | | 8 Some other way | 361 | 9.0 |
| | | Missing | 49 | |
| 130-130 | Q99 | Have your parents or guardians made it clear that they expect you not to use alcohol? | | |
| | | 1 Yes | 2,891 | 74.1 |
| | | 2 No | 647 | 16.8 |
| | | 3 Not sure | 359 | 9.1 |
| | | Missing | 64 | |
| 131-131 | Q100 | During your life, how many times have you taken over-the-counter drugs to get high? | | |
| | | 1 0 times | 3,601 | 91.5 |
| | | 2 1 or 2 times | 163 | 4.4 |
| | | 3 3 to 9 times | 85 | 2.2 |
| | | 4 10 to 19 times | 27 | 0.6 |
| | | 5 20 to 39 times | 14 | 0.4 |
| | | 6 40 or more times | 37 | 0.9 |
| | | Missing | 34 | |
| 132-132 | Q101 | Which of the following best describes you? | | |
| | | 1 Heterosexual (straight) | 3,475 | 89.5 |
| | | 2 Gay or lesbian | 86 | 2.3 |
| | | 3 Bisexual | 225 | 5.4 |
| | | 4 Not sure | 113 | 2.8 |
| | | Missing | 62 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 133-133 | Q102 | During your life, with whom have you had sexual contact? | | |
| | | 1 I have never had sexual contact | 1,548 | 37.7 |
| | | 2 Females | 1,150 | 31.1 |
| | | 3 Males | 989 | 26.1 |
| | | 4 Females and males | 210 | 5.1 |
| | | Missing | 64 | |
| 134-134 | Q103 | During the past 7 days, how many times did you drink a can, bottle, or glass of a sugar-sweetened beverage such as an energy drink, sports drink, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or fruit drink? | | |
| | | 1 I did not drink sugar-sweetened beverages during the past 7 days | 829 | 21.1 |
| | | 2 1 to 3 times during the past 7 days | 1,608 | 41.8 |
| | | 3 4 to 6 times during the past 7 days | 686 | 17.7 |
| | | 4 1 time per day | 303 | 8.2 |
| | | 5 2 times per day | 174 | 4.6 |
| | | 6 3 times per day | 110 | 2.6 |
| | | 7 4 or more times per day | 154 | 3.9 |
| | | Missing | 97 | |
| 135-135 | Q104 | During the past 30 days, how often did you go hungry because there was not enough food in your home? | | |
| | | 1 Never | 2,553 | 66.8 |
| | | 2 Rarely | 750 | 19.2 |
| | | 3 Sometimes | 420 | 10.5 |
| | | 4 Most of the time | 100 | 2.4 |
| | | 5 Always | 44 | 1.1 |
| | | Missing | 94 | |
| 136-136 | Q105 | In an average week when you are in school, on how many days do you walk or ride your bike to school when weather allows you to do so? | | |
| | | 1 0 days | 2,712 | 72.2 |
| | | 2 1 day | 226 | 5.6 |
| | | 3 2 days | 200 | 4.8 |
| | | 4 3 days | 176 | 4.2 |
| | | 5 4 days | 68 | 1.6 |
| | | 6 5 days | 471 | 11.6 |
| | | Missing | 108 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 137-137 | Q106 | When was the last time you saw a doctor or nurse for a check-up or physical exam when you were not sick or injured? | | |
| | | 1 During the past 12 months | 2,817 | 73.6 |
| | | 2 Between 12 and 24 months ago | 530 | 14.0 |
| | | 3 More than 24 months ago | 127 | 3.2 |
| | | 4 Never | 88 | 2.2 |
| | | 5 Not sure | 285 | 7.0 |
| | | Missing | 114 | |
| 138-138 | Q107 | Do you have any physical disabilities or long-term health problems? | | |
| | | 1 Yes | 472 | 12.2 |
| | | 2 No | 3,074 | 80.5 |
| | | 3 Not sure | 287 | 7.3 |
| | | Missing | 128 | |
| 139-139 | Q108 | Do you have any long-term emotional problems or learning disabilities? | | |
| | | 1 Yes | 528 | 14.9 |
| | | 2 No | 2,929 | 77.4 |
| | | 3 Not sure | 288 | 7.7 |
| | | Missing | 216 | |
| 185-185 | QN8 | Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet | | |
| | | 1 Yes | 2,015 | 77.5 |
| | | 2 No | 567 | 22.5 |
| | | Missing | 1,379 | |
| 186-186 | QN9 | Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else | | |
| | | 1 Yes | 409 | 10.1 |
| | | 2 No | 3,532 | 89.9 |
| | | Missing | 20 | |
| 187-187 | QN10 | Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol | | |
| | | 1 Yes | 872 | 21.9 |
| | | 2 No | 3,080 | 78.1 |
| | | Missing | 9 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 188-188 | QN11 | Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol | | |
| | | 1 Yes | 246 | 6.5 |
| | | 2 No | 3,626 | 93.5 |
| | | Missing | 89 | |
| 189-189 | QN12 | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days | | |
| | | 1 Yes | 432 | 11.2 |
| | | 2 No | 3,440 | 88.8 |
| | | Missing | 89 | |
| 191-191 | QN14 | Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days | | |
| | | 1 Yes | 167 | 4.0 |
| | | 2 No | 3,737 | 96.0 |
| | | Missing | 57 | |
| 192-192 | QN15 | Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | | |
| | | 1 Yes | 248 | 5.9 |
| | | 2 No | 3,702 | 94.1 |
| | | Missing | 11 | |
| 194-194 | QN17 | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 Yes | 926 | 23.5 |
| | | 2 No | 2,942 | 76.5 |
| | | Missing | 93 | |
| 196-196 | QN19 | Percentage of students who were in a physical fight on school property one or more times during the past 12 months | | |
| | | 1 Yes | 314 | 7.8 |
| | | 2 No | 3,570 | 92.2 |
| | | Missing | 77 | |
| 197-197 | QN20 | Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months | | |
| | | 1 Yes | 335 | 8.2 |
| | | 2 No | 3,553 | 91.8 |
| | | Missing | 73 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 198-198 | QN21 | Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to | | |
| | | 1 Yes | 278 | 6.9 |
| | | 2 No | 3,642 | 93.1 |
| | | Missing | 41 | |
| 199-199 | QN22 | Percentage of students who had ever been bullied on school property during the past 12 months | | |
| | | 1 Yes | 727 | 19.1 |
| | | 2 No | 3,192 | 80.9 |
| | | Missing | 42 | |
| 200-200 | QN23 | Percentage of students who had ever been electronically bullied during the past 12 months | | |
| | | 1 Yes | 592 | 15.3 |
| | | 2 No | 3,321 | 84.7 |
| | | Missing | 48 | |
| 201-201 | QN24 | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | | |
| | | 1 Yes | 998 | 24.6 |
| | | 2 No | 2,931 | 75.4 |
| | | Missing | 32 | |
| 202-202 | QN25 | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 Yes | 523 | 12.3 |
| | | 2 No | 3,411 | 87.7 |
| | | Missing | 27 | |
| 203-203 | QN26 | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 Yes | 455 | 10.7 |
| | | 2 No | 3,445 | 89.3 |
| | | Missing | 61 | |
| 204-204 | QN27 | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 Yes | 324 | 8.7 |
| | | 2 No | 3,167 | 91.3 |
| | | Missing | 470 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 205-205 | QN28 | Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | | |
| | | 1 Yes | 134 | 3.9 |
| | | 2 No | 3,325 | 96.1 |
| | | Missing | 502 | |
| 206-206 | QN29 | Percentage of students who ever tried cigarette smoking, even one or two puffs | | |
| | | 1 Yes | 1,226 | 35.0 |
| | | 2 No | 2,394 | 65.0 |
| | | Missing | 341 | |
| 207-207 | QN30 | Percentage of students who smoked a whole cigarette for the first time before age 13 years | | |
| | | 1 Yes | 274 | 7.1 |
| | | 2 No | 3,344 | 92.9 |
| | | Missing | 343 | |
| 208-208 | QN31 | Percentage of students who smoked cigarettes on one or more of the past 30 days | | |
| | | 1 Yes | 408 | 11.4 |
| | | 2 No | 3,290 | 88.6 |
| | | Missing | 263 | |
| 209-209 | QN32 | Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days | | |
| | | 1 Yes | 35 | 8.6 |
| | | 2 No | 369 | 91.4 |
| | | Missing | 3,557 | |
| 210-210 | QN33 | Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days | | |
| | | 1 Yes | 91 | 25.5 |
| | | 2 No | 269 | 74.5 |
| | | Missing | 3,601 | |
| 211-211 | QN34 | Percentage of students who smoked cigarettes on school property on one or more of the past 30 days | | |
| | | 1 Yes | 174 | 4.6 |
| | | 2 No | 3,627 | 95.4 |
| | | Missing | 160 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 212-212 | QN35 | Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days | | |
| | | 1 Yes | 268 | 8.0 |
| | | 2 No | 3,388 | 92.0 |
| | | Missing | 305 | |
| 213-213 | QN36 | Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months | | |
| | | 1 Yes | 186 | 48.5 |
| | | 2 No | 207 | 51.5 |
| | | Missing | 3,568 | |
| 214-214 | QN37 | Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 217 | 5.7 |
| | | 2 No | 3,632 | 94.3 |
| | | Missing | 112 | |
| 215-215 | QN38 | Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days | | |
| | | 1 Yes | 121 | 3.2 |
| | | 2 No | 3,723 | 96.8 |
| | | Missing | 117 | |
| 216-216 | QN39 | Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days | | |
| | | 1 Yes | 488 | 13.3 |
| | | 2 No | 3,445 | 86.7 |
| | | Missing | 28 | |
| 217-217 | QN40 | Percentage of students who had at least one drink of alcohol on one or more days during their life | | |
| | | 1 Yes | 2,316 | 62.0 |
| | | 2 No | 1,484 | 38.0 |
| | | Missing | 161 | |
| 218-218 | QN41 | Percentage of students who had their first drink of alcohol other than a few sips before age 13 years | | |
| | | 1 Yes | 668 | 15.6 |
| | | 2 No | 3,227 | 84.4 |
| | | Missing | 66 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 219-219 | QN42 | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | |
| | | 1 Yes | 1,231 | 34.0 |
| | | 2 No | 2,503 | 66.0 |
| | | Missing | 227 | |
| 220-220 | QN43 | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days | | |
| | | 1 Yes | 680 | 18.3 |
| | | 2 No | 3,137 | 81.7 |
| | | Missing | 144 | |
| 223-223 | QN46 | Percentage of students who used marijuana one or more times during their life | | |
| | | 1 Yes | 1,441 | 40.1 |
| | | 2 No | 2,378 | 59.9 |
| | | Missing | 142 | |
| 224-224 | QN47 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 284 | 7.1 |
| | | 2 No | 3,539 | 92.9 |
| | | Missing | 138 | |
| 225-225 | QN48 | Percentage of students who used marijuana one or more times during the past 30 days | | |
| | | 1 Yes | 951 | 26.3 |
| | | 2 No | 2,913 | 73.7 |
| | | Missing | 97 | |
| 227-227 | QN50 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | | |
| | | 1 Yes | 242 | 5.9 |
| | | 2 No | 3,687 | 94.1 |
| | | Missing | 32 | |
| 234-234 | QN57 | Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life | | |
| | | 1 Yes | 508 | 14.1 |
| | | 2 No | 3,415 | 85.9 |
| | | Missing | 38 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 236-236 | QN59 | Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months | | |
| | | 1 Yes | 878 | 22.4 |
| | | 2 No | 3,017 | 77.6 |
| | | Missing | 66 | |
| 237-237 | QN60 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 1,386 | 41.7 |
| | | 2 No | 2,098 | 58.3 |
| | | Missing | 477 | |
| 238-238 | QN61 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 194 | 4.9 |
| | | 2 No | 3,287 | 95.1 |
| | | Missing | 480 | |
| 239-239 | QN62 | Percentage of students who had sexual intercourse with four or more people during their life | | |
| | | 1 Yes | 350 | 10.5 |
| | | 2 No | 3,121 | 89.5 |
| | | Missing | 490 | |
| 240-240 | QN63 | Percentage of students who had sexual intercourse with one or more people during the past three months | | |
| | | 1 Yes | 970 | 29.8 |
| | | 2 No | 2,500 | 70.2 |
| | | Missing | 491 | |
| 241-241 | QN64 | Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse | | |
| | | 1 Yes | 197 | 20.8 |
| | | 2 No | 761 | 79.2 |
| | | Missing | 3,003 | |
| 242-242 | QN65 | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse | | |
| | | 1 Yes | 555 | 59.1 |
| | | 2 No | 393 | 40.9 |
| | | Missing | 3,013 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 243-243 | QN66 | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 225 | 26.1 |
| | | 2 No | 722 | 73.9 |
| | | Missing | 3,014 | |
| 244-244 | QN67 | Percentage of students who described themselves as slightly or very overweight | | |
| | | 1 Yes | 1,125 | 28.3 |
| | | 2 No | 2,734 | 71.7 |
| | | Missing | 102 | |
| 245-245 | QN68 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 1,827 | 46.0 |
| | | 2 No | 2,072 | 54.0 |
| | | Missing | 62 | |
| 246-246 | QN69 | Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 474 | 12.0 |
| | | 2 No | 3,372 | 88.0 |
| | | Missing | 115 | |
| 247-247 | QN70 | Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 223 | 5.6 |
| | | 2 No | 3,621 | 94.4 |
| | | Missing | 117 | |
| 248-248 | QN71 | Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 223 | 5.5 |
| | | 2 No | 3,608 | 94.5 |
| | | Missing | 130 | |
| 249-249 | QN72 | Percentage of students who drank 100% fruit juices one or more times during the past seven days | | |
| | | 1 Yes | 3,256 | 83.6 |
| | | 2 No | 643 | 16.4 |
| | | Missing | 62 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 250-250 | QN73 | Percentage of students who ate fruit one or more times during the past seven days | | |
| | | 1 Yes | 3,377 | 87.5 |
| | | 2 No | 500 | 12.5 |
| | | Missing | 84 | |
| 251-251 | QN74 | Percentage of students who ate green salad one or more times during the past seven days | | |
| | | 1 Yes | 2,564 | 66.1 |
| | | 2 No | 1,341 | 33.9 |
| | | Missing | 56 | |
| 252-252 | QN75 | Percentage of students who ate potatoes one or more times during the past seven days | | |
| | | 1 Yes | 2,741 | 71.9 |
| | | 2 No | 1,161 | 28.1 |
| | | Missing | 59 | |
| 253-253 | QN76 | Percentage of students who ate carrots one or more times during the past seven days | | |
| | | 1 Yes | 1,960 | 51.6 |
| | | 2 No | 1,927 | 48.4 |
| | | Missing | 74 | |
| 254-254 | QN77 | Percentage of students who ate other vegetables one or more times during the past seven days | | |
| | | 1 Yes | 3,214 | 83.4 |
| | | 2 No | 683 | 16.6 |
| | | Missing | 64 | |
| 255-255 | QN78 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days | | |
| | | 1 Yes | 779 | 20.2 |
| | | 2 No | 3,105 | 79.8 |
| | | Missing | 77 | |
| 256-256 | QN79 | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days | | |
| | | 1 Yes | 1,770 | 46.7 |
| | | 2 No | 2,112 | 53.3 |
| | | Missing | 79 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 257-257 | QN80 | Percentage of students who watched three or more hours per day of TV on an average school day | | |
| | | 1 Yes | 1,121 | 28.0 |
| | | 2 No | 2,730 | 72.0 |
| | | Missing | 110 | |
| 258-258 | QN81 | Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day | | |
| | | 1 Yes | 1,151 | 28.4 |
| | | 2 No | 2,733 | 71.6 |
| | | Missing | 77 | |
| 259-259 | QN82 | Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school | | |
| | | 1 Yes | 2,979 | 78.3 |
| | | 2 No | 851 | 21.7 |
| | | Missing | 131 | |
| 260-260 | QN83 | Percentage of students who played on one or more sports teams during the past 12 months | | |
| | | 1 Yes | 2,106 | 55.1 |
| | | 2 No | 1,749 | 44.9 |
| | | Missing | 106 | |
| 261-261 | QN84 | Percentage of students who had ever been taught in school about AIDS or HIV infection | | |
| | | 1 Yes | 3,167 | 83.3 |
| | | 2 No | 660 | 16.7 |
| | | Missing | 134 | |
| 262-262 | QN85 | Percentage of students who had ever been told by a doctor or nurse that they had asthma | | |
| | | 1 Yes | 976 | 25.3 |
| | | 2 No | 2,862 | 74.7 |
| | | Missing | 123 | |
| 263-263 | QN86 | Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma | | |
| | | 1 Yes | 529 | 13.9 |
| | | 2 No | 3,288 | 86.1 |
| | | Missing | 144 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 264-264 | QN87 | Percentage of students who would describe their grades in school as mostly A's or B's during the past 12 months | | |
| | | 1 Yes | 2,602 | 67.4 |
| | | 2 No | 1,324 | 32.6 |
| | | Missing | 35 | |
| 265-265 | QN88 | Percentage of students who most of the time or always feel safe and secure in their neighborhood | | |
| | | 1 Yes | 3,247 | 84.2 |
| | | 2 No | 680 | 15.8 |
| | | Missing | 34 | |
| 266-266 | QN89 | Percentage of students who most of the time or always get the kind of help they need when they feel sad, empty, hopeless, angry, or anxious | | |
| | | 1 Yes | 752 | 19.2 |
| | | 2 No | 3,164 | 80.8 |
| | | Missing | 45 | |
| 267-267 | QN90 | Percentage of students who would most likely talk with their parent or other adult family member about their feeling when they feel sad, empty, hopeless, angry, or anxious | | |
| | | 1 Yes | 558 | 14.5 |
| | | 2 No | 3,363 | 85.5 |
| | | Missing | 40 | |
| 268-268 | QN91 | Percentage of students who responded that no one had ever refused to sell them cigarettes because of their age during the past 30 days | | |
| | | 1 Yes | 274 | 7.2 |
| | | 2 No | 3,645 | 92.8 |
| | | Missing | 42 | |
| 269-269 | QN92 | Percentage of students who prefer plain or menthol cigarettes when they smoke cigarettes | | |
| | | 1 Yes | 392 | 10.7 |
| | | 2 No | 3,525 | 89.3 |
| | | Missing | 44 | |
| 270-270 | QN93 | Percentage of students who have tried any flavored cigarettes other than menthol, such as raspberry, cherry, mint, or chocolate during the past 12 months | | |
| | | 1 Yes | 303 | 8.0 |
| | | 2 No | 3,605 | 92.0 |
| | | Missing | 53 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 271-271 | QN94 | Percentage of students who were asked by a doctor, dentist, or nurse during the past 12 months whether they smoke cigarettes | | |
| | | 1 Yes | 1,213 | 31.8 |
| | | 2 No | 2,706 | 68.2 |
| | | Missing | 42 | |
| 272-272 | QN95 | Percentage of students who respond that they think between one and twenty students out of 100 Rhode Island high school students smoke cigarettes | | |
| | | 1 Yes | 1,001 | 24.9 |
| | | 2 No | 2,927 | 75.1 |
| | | Missing | 33 | |
| 273-273 | QN96 | Percentage of students who think of cigarette smoke as neither a health hazard nor an annoyance or discomfort | | |
| | | 1 Yes | 124 | 3.0 |
| | | 2 No | 3,777 | 97.0 |
| | | Missing | 60 | |
| 274-274 | QN97 | Percentage of students who believe that chewing tobacco, snuff, or dip is safer than cigarettes | | |
| | | 1 Yes | 444 | 11.7 |
| | | 2 No | 3,438 | 88.3 |
| | | Missing | 79 | |
| 275-275 | QN98 | Percentage of students who usually got their alcoholic beverages by buying it at a store, restaurant, or bar with no ID during the past 30 days | | |
| | | 1 Yes | 71 | 1.9 |
| | | 2 No | 3,841 | 98.1 |
| | | Missing | 49 | |
| 276-276 | QN99 | Percentage of students whose parents or guardians made it clear that they expect them not to use alcohol | | |
| | | 1 Yes | 2,891 | 74.1 |
| | | 2 No | 1,006 | 25.9 |
| | | Missing | 64 | |
| 277-277 | QN100 | Percentage of students who have taken over-the-counter drugs to get high one or more times during their life | | |
| | | 1 Yes | 326 | 8.5 |
| | | 2 No | 3,601 | 91.5 |
| | | Missing | 34 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 278-278 | QN101 | Percentage of students who describe themselves as gay or lesbian or bisexual | | |
| | | 1 Yes | 311 | 7.7 |
| | | 2 No | 3,588 | 92.3 |
| | | Missing | 62 | |
| 279-279 | QN102 | Percentage of students who have had sexual contact with males and females during their life | | |
| | | 1 Yes | 210 | 5.1 |
| | | 2 No | 3,687 | 94.9 |
| | | Missing | 64 | |
| 280-280 | QN103 | Percentage of students who drank a can, bottle, or glass of a sugar-sweetened beverage such as an energy drink, sports drink, lemonade, sweetened tea or coffee drinks, flavored milk, Snapple, Sunny Delight, or fruit drink at least one time during the past 7 days | | |
| | | 1 Yes | 3,035 | 78.9 |
| | | 2 No | 829 | 21.1 |
| | | Missing | 97 | |
| 281-281 | QN104 | Percentage of students who most of the time or always went hungry during the past 30 days because there was not enough food in their home | | |
| | | 1 Yes | 144 | 3.5 |
| | | 2 No | 3,723 | 96.5 |
| | | Missing | 94 | |
| 282-282 | QN105 | Percentage of students who walk or ride their bike to school on five days in an average week when they are in school and when the weather allows | | |
| | | 1 Yes | 471 | 11.6 |
| | | 2 No | 3,382 | 88.4 |
| | | Missing | 108 | |
| 283-283 | QN106 | Percentage of students who last saw a doctor or nurse for a check-up or physical exam during the past 12 months when they were not sick or injured | | |
| | | 1 Yes | 2,817 | 73.6 |
| | | 2 No | 1,030 | 26.4 |
| | | Missing | 114 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 284-284 | QN107 | Percentage of students who have physical disabilities or long-term health problems | | |
| | | 1 Yes | 472 | 12.2 |
| | | 2 No | 3,361 | 87.8 |
| | | Missing | 128 | |
| 285-285 | QN108 | Percentage of students who have long-term emotional problems or learning disabilities | | |
| | | 1 Yes | 528 | 14.9 |
| | | 2 No | 3,217 | 85.1 |
| | | Missing | 216 | |
| 350-350 | QNFRCIG | Percentage of students who smoked cigarettes on 20 or more of the past 30 days | | |
| | | 1 Yes | 150 | 4.4 |
| | | 2 No | 3,548 | 95.6 |
| | | Missing | 263 | |
| 351-351 | QNANYTOB | Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days | | |
| | | 1 Yes | 604 | 17.9 |
| | | 2 No | 3,035 | 82.1 |
| | | Missing | 322 | |
| 352-352 | QNDEPO | Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 37 | 3.6 |
| | | 2 No | 910 | 96.4 |
| | | Missing | 3,014 | |
| 353-353 | QNDEPOPL | Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 262 | 29.7 |
| | | 2 No | 685 | 70.3 |
| | | Missing | 3,014 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 354-354 | QNDUAL | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy | | |
| | | 1 Yes | 105 | 11.9 |
| | | 2 No | 834 | 88.1 |
| | | Missing | 3,022 | |
| 355-355 | QNFRVG | Percentage of students who ate fruits and vegetables five or more times per day during the past seven days | | |
| | | 1 Yes | 846 | 22.6 |
| | | 2 No | 2,982 | 77.4 |
| | | Missing | 133 | |
| 356-356 | QNFRVG2 | Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days | | |
| | | 1 Yes | 394 | 10.3 |
| | | 2 No | 3,434 | 89.7 |
| | | Missing | 133 | |
| 357-357 | QNFRUIT | Percentage of students who ate fruits two or more times per day during the past seven days | | |
| | | 1 Yes | 1,311 | 34.1 |
| | | 2 No | 2,557 | 65.9 |
| | | Missing | 93 | |
| 358-358 | QNVEG | Percentage of students who ate vegetables three or more times per day during the past seven days | | |
| | | 1 Yes | 540 | 14.1 |
| | | 2 No | 3,327 | 85.9 |
| | | Missing | 94 | |
| 359-359 | QNDLYPE | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school | | |
| | | 1 Yes | 997 | 23.2 |
| | | 2 No | 2,833 | 76.8 |
| | | Missing | 131 | |
| 360-360 | QNPA0DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days | | |
| | | 1 Yes | 494 | 12.1 |
| | | 2 No | 3,388 | 87.9 |
| | | Missing | 79 | |

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Rhode Island High School Survey

Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 361-361 | QNPA7DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days | | |
| | | 1 Yes | 992 | 26.7 |
| | | 2 No | 2,890 | 73.3 |
| | | Missing | 79 | |
| 362-362 | QNOWT | Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 584 | 14.9 |
| | | 2 No | 3,191 | 85.1 |
| | | Missing | 186 | |
| 363-363 | QNOBESE | Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 433 | 10.8 |
| | | 2 No | 3,342 | 89.2 |
| | | Missing | 186 | |
| 364-373 | WEIGHT | | | |
| 374-376 | STRATUM | | | |
| 377-382 | PSU | | | |
| 383-387 | BMIPCT | | | |
| 388-389 | RACEETH | | | |
| | | 1 Am Indian/Alaska Native | 51 | 0.6 |
| | | 2 Asian | 155 | 1.9 |
| | | 3 Black or African American | 301 | 8.4 |
| | | 4 Native Hawaiian/other PI | 25 | 0.3 |
| | | 5 White | 2,181 | 67.5 |
| | | 6 Hispanic/Latino | 407 | 8.2 |
| | | 7 Multiple - Hispanic | 559 | 10.8 |
| | | 8 Multiple - non-Hispanic | 178 | 2.3 |
| | | Missing | 104 | |